

BLAGDON

AIR OPERATED DOUBLE DIAPHRAGM PUMP

Aluminium Series

DIMENSIONS

PERFORMANCE


B15


83 255 IN-LINE OPTION FLUID DISCHARGE - 127.5 1/2" BSP Í , m AIR INLET 1/4" BSP 203.5 245.5 O Ê AIR EXHAUST 1/4" BSP FLUID SUCTION 1/2" BSP 124.5 AIR INLET ____ 25 4 Ø 7mm MOUNTING HOLES 83 100 80 120 127.5 160 233

B15

General Assembly :- B15 Aluminium Pump All dimensions +/- 2mm

B15





HG-CF-1052 Rev. D - 18.02.15

SPECIFICATIONS

PUMP CODE


DIJ

FLUID CONNECTIONS	CAPACITY	MAX SOLIDS	MAX DISCHARGE HEAD	DISPLACEMENT/STROKE
1/2" BSP(F)	0 - 58 Litres/Minute (0 - 12.7 Gallons/Minute)	2 MM (5/64")	88 Meters (289 ft)	0.075 Litres (0.02 UK Gallons)
MAX. WORKING PRESSURE	AIR INLET	TEMPE	RATURE LIMITS	PUMP WEIGHTS :-
8.6 Bar (125 psi)	1/4" BSP (F)	Determ	ined by Elastomers	AA :- 4.8 Kg

Caution - Operating temperature limitations are as follows:	Operating Temperatures		
Materials	Maximum	Minimum	Optimum
Buna-n - General purpose, oil resistant. Shows good solvent, oil, water and hydraulic fluid resistance. Should not be used with highly polar solvents like acetone and MEK, ozone, chlorinated hydrocarbons and nitro hydrocarbons.	176°F	-18°F	50° to 140°F
	80°C	-28°C	10° to 60°C
EPDM - Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair on ketones and alcohols.	212°F	-11°F	50° to 212°F
	100°C	-24°C	10° to 100°C
Neoprene - All purpose. Resistant to vegetable oil. Generally not affected by moderate chemicals, fats greases and many oils and solvents. Generally attacked by strong oxidising acids, ketones, esters, nitro hydro carbons and chlorinated aromatic hydrocarbons.	212°F	-4°F	50° to 130°F
	100°C	-20°C	10° to 54°C
Santoprene® - Injection moulded thermoplastic elastomer with no fabric layer. Long mechanical flex life. Excellent abrasion resistance.	212°F	-10°F	50° to 212°F
	100°C	-23°C	10° to 100°C
PTFE - Chemically inert, virtually impervious. Very few chemicals are known to react chemically with PTFE : molten alkali metals, turbulent liquid or gaseous fluorine and a few fluoro-chemicals such as chlorine trifluoride or oxygen difluoride which readily liberate free fluorine at elevated temperatures.	356°F	32°F	50° to 212°F
	180°C	0°C	10° to 100°C
Viton® - Shows good resistance to a wide range of oils and solvents : especially all alphatic, aromatic and halogenated hydrocarbons, acids, animal and vegetable oils.	356°F	0°F	75° to 212°F
	180°C	-18°C	24° to 100°C

B15

TYPICAL CODE = B15.01.A A. B B. E T S - L F



IMPORTANT This pump should be used in accordance with the requirements of the Safety, Health & Welfare at Work Act 2005. All business conducted subject to IDEX Pump Technologies, Ireland. Terms and Conditions of Sale, available on request.